

[Home](#) × [Install](#) × [Full Index](#) × [Tutorial](#) × [EnumerateControls](#) × [FindOutTableExists](#) × [UseVariablesInSQL](#) × [CreateRecordsetFrom](#) × [AddRecordToRecordset](#) × [CountRecordsRecordset](#) × [LimitsRecordset](#) × [MixAccess2baseAndUNO](#) ! [User's Guide](#) × [AllForms](#) × [DatabaseWindow](#) × [ShortcutNotationMore](#) × [DLookupSamples](#) × [CalculatedField](#) × [MultiSelectListBoxSelectForm](#) × [FillAutoControlValue](#) × [CarryToNewRecord](#) × [BrowseThruControls](#) × [TipTextForLongValues](#) × [AskBeforeSaving](#) × [Sync2Combos](#) × [ZoomOnImage](#) × [AddAllToBox](#) × [KeepFormsSynchro](#) × [SelectListBoxOnFirstLetters](#) × [MoveItemsBetweenListboxes](#) × [SimulateTabbed](#) × [SearchStandalone](#) × [CalculatorDialog](#) × [ExploreTables](#) × [ExtractDataTable](#) × [FindPositionRecordset](#) × [DMedian function](#) × [DPercentile](#) × [ImportImages](#) × [ExportImages](#) × [CrossTabQuery](#) × [DbaccessFromCalc](#) × [Standalone Forms](#) × [Add](#) × [AddItem](#) × [AddNew](#) × [CancelUpdate](#) × [Clone](#) × [Close \(method\)](#) × [CloseAllRecordsets](#) × [CloseConnection](#) × [CreateField](#) × [CreateQueryDef](#) × [CreateTableDef](#) × [CurrentDb](#) × [Delete](#) × [Delete \(table-query\)](#) × [Edit](#) × [EndExecute](#) × [Execute \(commandbarcontrol\)](#) × [Execute \(dialog\)](#) × [Execute \(query\)](#) × [getProperty](#) × [GetRows](#) × [hasProperty](#) × [Move](#) × [Move \(recordset\)](#) × [OpenConnection](#) × [OpenDatabase](#) × [OpenRecordset](#) × [OptionGroup \(Method\)](#) × [ReadAllBytes](#) × [ReadAllText](#) × [Refresh](#) × [Remove](#) × [RemoveAll](#) × [RemoveItem](#) × [Requery](#) × [Reset](#) × [RunSQL](#) × [SetFocus](#) × [setProperty](#) × [Start](#) × [Terminate](#) × [Update](#) × [WriteAllBytes](#) × [WriteAllText](#) × [Methods](#) × [Objects](#) × [Application](#) × [CommandBar](#) × [CommandBarControl](#) × [Control](#) × [Database](#) × [Dialog](#) × [DoCmd](#) × [Event](#) × [Field](#) × [Form](#) × [OptionGroup](#) × [Property](#) × [QueryDef](#) × [Recordset](#) × [SubForm](#) × [TableDef](#) × [TempVar](#) × [Properties](#) × [AbsolutePosition](#) × [AllowAdditions](#) × [AllowDeletions](#) × [AllowEdits](#) × [BackColor](#) × [BeginGroup](#) × [BOF, EOF](#) × [Bookmark](#) × [Bookmarkable](#) × [BorderColor](#) × [BorderStyle](#) × [BuiltIn](#) × [Cancel](#) × [Caption](#) × [ControlSource](#) × [ControlTipText](#) × [ControlType](#) × [Count](#) × [CurrentRecord](#) × [CurrentUser](#) × [DataType](#) × [DataUpdatable](#) × [Default](#) × [DefaultValue](#) × [Description](#) × [EditMode](#) × [Enabled](#) × [FieldSize](#) × [Filter](#) × [FilterOn](#) × [FontBold](#) × [FontItalic](#) × [FontName](#) × [FontSize](#) × [FontUnderline](#) × [FontWeight](#) ×

FontWeight

The *FontWeight* property specifies the line width used to display characters in a Control.

tags:
Properties

Applies to ...

Object	Type when in a form	Type when in a GridControl	Type when in a dialog	Description
Control	All except HiddenControl ImageButton ImageControl ScrollBar SpinButton SubForm	None	All except ImageControl ProgressBar ScrollBar	A control on an open form or dialog

Syntax

`control.FontWeight`

`control.FontWeight = value`

Returned values / Arguments

Integer or Long

Remarks

- Allowed values for *FontWeight* are:

Symbolic name		Numeric value
com.sun.star.awt.FontWeight.DONTKNOW	The font weight is not specified/known.	0
com.sun.star.awt.FontWeight.THIN	specifies a 50% font weight.	50
com.sun.star.awt.FontWeight.ULTRALIGHT	specifies a 60% font weight.	60
com.sun.star.awt.FontWeight.LIGHT	specifies a 75% font weight.	75

com.sun.star.awt.FontWeight.SEMILIGHT	specifies a 90% font weight.	90
com.sun.star.awt.FontWeight.NORMAL	specifies a normal font weight.	100
com.sun.star.awt.FontWeight.SEMIBOLD	specifies a 110% font weight.	110
com.sun.star.awt.FontWeight.BOLD	specifies a 150% font weight.	150
com.sun.star.awt.FontWeight.ULTRABOLD	specifies a 175% font weight.	175
com.sun.star.awt.FontWeight.BLACK	specifies a 200% font weight.	200

- The *FontWeight* property can be set at **grid control** level, not at its individual *controls* level.

Error messages

Property 'FontWeight' not applicable in this context
Value '...' is invalid for property 'FontWeight'

See also

FontBold

FontItalic

FontName

FontSize

FontUnderline

ForeColor

TextAlign

Example

Change control aspect

```
Dim ofForm As Object, ocControl As Object
Set ofForm = Forms("myForm")
Set ocControl = ofForm.Controls("myControl")
If ofForm.Controls("myCheckBox").Value = 1 Then
    ocControl.FontName = "Verdana"
    ocControl.FontSize = 18
    ocControl.FontBold = True
    ocControl.FontItalic = True
    ocControl.FontUnderline = True
    ocControl.ForeColor = RGB(255, 0, 0)
    ocControl.TextAlign = 2
End If
```

... or alternatively ...

```
Dim ofForm As Object, ocControl As Object
Set ofForm = Forms("myForm")
Set ocControl = ofForm.Controls("myControl")
If ofForm.Controls("myCheckBox").Value = 1 Then
    ocControl.FontName = "Verdana"
    ocControl.FontSize = 18
    ocControl.FontWeight = com.sun.star.awt.FontWeight.ULTRABOLD ' altert
    ocControl.FontItalic = True
    ocControl.FontUnderline = True
    ocControl.ForeColor = RGB(255, 0, 0)
    ocControl.TextAlign = 2
End If
```

Bookmark this page » » [FontWeight](#)

