Home   x   QueryDefs   x   Recordsets   x   TableDefs   x   TempVars   x   Database Functions   x   DAvg   x
DCount   x   DLookup   x   DMin, DMax   x   DStDev, DStDevP   x   DSum   x   DVar, DVarP   x   Definitions   x
Collection   x   Object Model   x   Error handling   x   DebugPrint   x   Error Handler   x   TraceConsole   x

TraceConsole

Role

tags:
Error handling

Display a dialog box for error handling settings and registered errors viewing. This routine is typically called from a button or a menu item.

Syntax

TraceConsole has no arguments.

```
TraceConsole()
```

User interface

Control	Description
Clear the list	All the entries are erased from the list.
Set minimal trace level	All the calls for logging an event (**TraceLog**) having a level below the indicated level are ignored.
Set max number of entries	Determines the size of the circular buffer containing the logged events. When changed the existing list is always erased.
Dump to file	Open a File Save As ... window to save all the current entries in APPEND mode to a text file.

Remarks

When *Access2Base* has been installed as an extension the *TraceConsole* function can be activated by executing, when in the Basic IDE, next menu command:

```
Tools + Add-Ons + Access2Base Console ....
```

See also

DebugPrint
Error Handler
TraceError
TraceLevel
TraceLog

Bookmark this page » » [TraceConsole](#)