

Home ✕ Install ✕ Full Index ✕ Tutorial ✕ EnumerateControls ✕ FindOutTableExists ✕  
 UseVariablesInSQL ✕ CreateRecordsetFrom ✕ AddRecordToRecordset ✕ CountRecordsRecordset ✕  
 LimitsRecordset ✕ MixAccess2baseAndUNO ! User's Guide ✕ AllForms ✕ DatabaseWindow ✕  
 ShortcutNotationMore ✕ DLookupSamples ✕ CalculatedField ✕ MultiSelectListboxSelectForm ✕  
 FillAutoControlValue ✕ CarryToNewRecord ✕ BrowseThruControls ✕ TipTextForLongValues ✕  
 AskBeforeSaving ✕ Sync2Combos ✕ ZoomOnImage ✕ AddAllToBox ✕ KeepFormsSynchro ✕  
 SelectListboxOnFirstLetters ✕ MoveItemsBetweenListboxes ✕ SimulateTabbed ✕ SearchStandalone ✕  
 CalculatorDialog ✕ ExploreTables ✕ ExtractDataTable ✕ FindPositionRecordset ✕ DMedian function ✕  
 DPercentile ✕ ImportImages ✕ ExportImages ✕ CrossTabQuery ✕ DbaccessFromCalc ✕  
 Standalone Forms ✕ Add ✕ AddItem ✕ AddNew ✕ CancelUpdate ✕ Clone ✕ Close (method) ✕  
 CloseAllRecordsets ✕ CloseConnection ✕ CreateField ✕ CreateQueryDef ✕ CreateTableDef ✕  
 CurrentDb ✕ Delete ✕ Delete (table-query) ✕ Edit ✕ EndExecute ✕ Execute (commandbarcontrol) ✕  
 Execute (dialog) ✕ Execute (query) ✕ getProperty ✕ GetRows ✕ hasProperty ✕ Move ✕  
 Move (recordset) ✕ OpenConnection ✕ OpenDatabase ✕ OpenRecordset ✕ OptionGroup (Method) ✕  
 ReadAllBytes ✕ ReadAllText ✕ Refresh ✕ Remove ✕ RemoveAll ✕ RemoveItem ✕ Requery ✕  
 Reset ✕ RunSQL ✕ SetFocus ✕ SetProperty ✕ Start ✕ Terminate ✕ Update ✕ WriteAllBytes ✕  
 WriteAllText ✕ Methods ✕ Objects ✕ Application ✕ CommandBar ✕ CommandBarControl ✕  
 Control ✕ Database ✕ Dialog ✕ DoCmd ✕ Event ✕ Field ✕ Form ✕ OptionGroup ✕  
 Property ✕ QueryDef ✕ Recordset ✕ SubForm ✕ TableDef ✕ TempVar ✕ Properties ✕  
 AbsolutePosition ✕ AllowAdditions ✕ AllowDeletions ✕ AllowEdits ✕ BackColor ✕ BeginGroup ✕  
 BOF, EOF ✕ Bookmark ✕ Bookmarkable ✕ BorderColor ✕ BorderStyle ✕ BuiltIn ✕ Cancel ✕  
 Caption ✕ ControlSource ✕ ControlTipText ✕ ControlType ✕ Count ✕ CurrentRecord ✕  
 CurrentUser ✕ DataType ✕ DataUpdatable ✕ Default ✕ DefaultValue ✕ Description ✕EditMode ✕  
 Enabled ✕ FieldSize ✕ Filter ✕ FilterOn ✕ FontBold ✕ FontItalic ✕ FontName ✕ FontSize ✕  
 FontUnderline ✕ FontWeight ✕ ForeColor ✕ Index ✕ IsLoaded ✕ Item ✕ ItemData ✕  
 LinkChildFields ✕ LinkMasterFields ✕ ListCount ✕ ListIndex ✕ Locked ✕ MultiSelect ✕ Name ✕  
 ObjectType ✕ OnAction ✕ OpenArgs ✕ OptionValue ✕ OrderBy ✕ OrderByOn ✕ Page ✕  
 Parent ✕ ProductCode ✕ RecordCount ✕ Recordset (property) ✕ RecordSource ✕ Required ✕  
 RowSource ✕ RowSourceType ✕ Selected ✕ SelLength ✕ SelStart ✕ SelText ✕ Size ✕  
 SourceField ✕ SourceTable ✕ SQL ✕ SubType ✕ TabIndex ✕ TabStop ✕ Tag ✕ Text ✕  
 TextAlign ✕ TripleState ✕ Type ✕ Value ✕ Version ✕ Value (field) ✕ Visible ✕ Width ✕  
 Shortcuts ✕ qetObject ✕ qetValue ✕ setValue ✕ ShortCut Notation ✕ Snippets of Code ✕  
 AbsolutePosition example ✕ Access2Base vs. VBA ✕ AddNew example ✕ Addremoveitem example ✕  
 AllForms examples ✕ ApplyFilter example ✕ Bookmark example ✕ Bookmark2 example ✕  
 Cancel & Default example ✕ CancelUpdate example ✕ Caption examples ✕ Clone example ✕  
 Coding Conventions ✕ Collection example ✕ Color example ✕ ComboBox example ✕  
 CommandBar example ✕ CommandBarControl example ✕ CommandBars example ✕ Control example ✕  
 Controls examples ✕ ControlSource example ✕ ControlTipText example ✕ ControlType example ✕  
 CopyObject example ✕ Count example ✕ CreateQueryDef example ✕ CurrentDb example ✕  
 CreateTableDef example ✕ CurrentRecord example ✕ Datasdef example ✕ DataType example ✕  
 DebugPrint example ✕ DefaultValue example ✕ Delete (table-query) example ✕ Delete example ✕  
 Dfunctions example ✕ Dialog example ✕ Edit example ✕ Enabled & Locked example ✕ Event example ✕  
 Execute query example ✕ Filter example ✕ Filter2 example ✕ FindRecord example ✕ Font example ✕  
 Format example ✕ Forms examples ✕ GetRows example ✕ GoToRecord example ✕  
 Gridcontrol examples ✕ Height & Width example ✕ Identification example ✕ IsLoaded example ✕  
 Item example ✕ Linkfields example ✕ ListBox example ✕ Maximize example ✕ Move example ✕  
 MoveSize example ✕ Name example ✕ OpenArgs example ✕ Openconnection example ✕  
 Opendatabase example ✕ Openform example ✕ OpenRecordset example ✕ Optiongroup example ✕  
 OptionValue example ✕ OrderBy example ✕ OutputTo example ✕ Parent example ✕ Properties example ✕  
 ReadAllBytes example ✕ ReadAllText example ✕ Recordsets example ✕ RecordSource example ✕  
 Refresh example ✕ Requery example ✕ Required example ✕ RowSource example ✕ RunApp example ✕  
 RunCommand example ✕ Runsq example ✕

## Runsq example

Create a new database table

```
If DoCmd.RunSQL( _  
    "CREATE TABLE customer ( " _  
        & "First_Name char(50) " _  
        & ", Last_Name char(50) " _  
        & ", Address char(50) " _
```

tags:  
Snippets of Code

```
& ", City char(50)" _  
& ", Country char(25)" _  
& ", Birth_Date date" _  
& ")") Then MsgBox "Customer table has been created !"
```

[Bookmark this page](#) » » [Runsql example](#)