

[Home](#) x [Install](#) x [Full Index](#) x [Tutorial](#) x [EnumerateControls](#) x [FindOutTableExists](#) x [UseVariablesInSQL](#) x [CreateRecordsetFrom](#) x [AddRecordToRecordset](#) x [CountRecordsRecordset](#) x [LimitsRecordset](#) x [MixAccess2baseAndUNO](#) ! [User's Guide](#) x [AllForms](#) x [DatabaseWindow](#) x [ShortcutNotationMore](#) x [DLookupSamples](#) x [CalculatedField](#) x [MultiSelectListBoxSelectForm](#) x [FillAutoControlValue](#) x [CarryToNewRecord](#) x [BrowseThruControls](#) x [TipTextForLongValues](#) x [AskBeforeSaving](#) x [Sync2Combos](#) x [ZoomOnImage](#) x [AddAllToBox](#) x [KeepFormsSynchro](#) x [SelectListBoxOnFirstLetters](#) x [MoveItemsBetweenListboxes](#) x [SimulateTabbed](#) x [SearchStandalone](#) x [CalculatorDialog](#) x [ExploreTables](#) x [ExtractDataTable](#) x [FindPositionRecordset](#) x [DMedian function](#) x [DPercentile](#) x [ImportImages](#) x [ExportImages](#) x [CrossTabQuery](#) x [DbaccessFromCalc](#) x [Standalone Forms](#) x [Add](#) x [AddItem](#) x [AddNew](#) x [CancelUpdate](#) x [Clone](#) x [Close \(method\)](#) x [CloseAllRecordsets](#) x [CloseConnection](#) x [CreateField](#) x [CreateQueryDef](#) x [CreateTableDef](#) x [CurrentDb](#) x [Delete](#) x [Delete \(table-query\)](#) x [Edit](#) x [EndExecute](#) x [Execute \(commandbarcontrol\)](#) x [Execute \(dialog\)](#) x [Execute \(query\)](#) x [GetProperty](#) x [GetRows](#) x [hasProperty](#) x [Move](#) x [Move \(recordset\)](#) x [OpenConnection](#) x [OpenDatabase](#) x [OpenRecordset](#) x [OptionGroup \(Method\)](#) x [ReadAllBytes](#) x [ReadAllText](#) x [Refresh](#) x [Remove](#) x [RemoveAll](#) x [RemoveItem](#) x [Requery](#) x [Reset](#) x [RunSQL](#) x [SetFocus](#) x [setProperty](#) x [Start](#) x [Terminate](#) x

## Terminate

The *Terminate* method finalizes the specified **dialog**.

tags:  
Methods

### Applies to ...

Object	Description
<b>Dialog</b>	The representation of a Basic dialog

### Syntax

*dialog*.*Terminate*

#### Returned value

*True* if success.

### Remarks

The *Terminate* method makes the controls of the dialog unavailable to the programmer. The dialog must have been started with the **Start** method applied on the same dialog object.

### Error messages

Dialog unknown

Dialog '...' not active

### See also

**AllDialogs**

**EndExecute**

**Execute**

**Start**

### Example

Display a dialog

```

Dim oDialog As Object, lExecute As Long
Const dlgOK = 1
Const dlgCancel = 0
    oDialog = Application.AllDialogs("myDialog")
    oDialog.Start
    lExecute = oDialog.Execute
    Select Case lExecute

```

```
Case dlgCancel          '          Cancel button pressed
'                      ... do probably nothing ...
Case dlgOK              '          OK button pressed
'                      ... process the dialog, all controls are still available
Case Else                '          Dialog interrupted programmatically
'                      ... process the dialog based on the returned value
End Select
oDialog.Terminate
```

Bookmark this page » » [Terminate](#)