

Home ✕ Install ✕ Full Index ✕ Tutorial ✕ EnumerateControls ✕ FindOutTableExists ✕
 UseVariablesInSQL ✕ CreateRecordsetFrom ✕ AddRecordToRecordset ✕ CountRecordsRecordset ✕
 LimitsRecordset ✕ MixAccess2baseAndUNO ! User's Guide ✕ AllForms ✕ DatabaseWindow ✕
 ShortcutNotationMore ✕ DLookupSamples ✕ CalculatedField ✕ MultiSelectListboxSelectForm ✕
 FillAutoControlValue ✕ CarryToNewRecord ✕ BrowseThruControls ✕ TipTextForLongValues ✕
 AskBeforeSaving ✕ Sync2Combos ✕ ZoomOnImage ✕ AddAllToBox ✕ KeepFormsSynchro ✕
 SelectListboxOnFirstLetters ✕ MoveItemsBetweenListboxes ✕ SimulateTabbed ✕ SearchStandalone ✕
 CalculatorDialog ✕ ExploreTables ✕ ExtractDataTable ✕ FindPositionRecordset ✕ DMedian function ✕
 DPercentile ✕ ImportImages ✕ ExportImages ✕ CrossTabQuery ✕ DbaccessFromCalc ✕
 Standalone Forms ✕ Add ✕ AddItem ✕ AddNew ✕ CancelUpdate ✕ Clone ✕ Close (method) ✕
 CloseAllRecordsets ✕ CloseConnection ✕ CreateField ✕ CreateQueryDef ✕ CreateTableDef ✕
 CurrentDb ✕ Delete ✕ Delete (table-query) ✕ Edit ✕ EndExecute ✕ Execute (commandbarcontrol) ✕
 Execute (dialog) ✕ Execute (query) ✕ getProperty ✕ GetRows ✕ hasProperty ✕ Move ✕
 Move (recordset) ✕ OpenConnection ✕ OpenDatabase ✕ OpenRecordset ✕ OptionGroup (Method) ✕
 ReadAllBytes ✕ ReadAllText ✕ Refresh ✕ Remove ✕ RemoveAll ✕ RemoveItem ✕ Requery ✕
 Reset ✕ RunSQL ✕ SetFocus ✕ setProperty ✕ Start ✕ Terminate ✕ Update ✕ WriteAllBytes ✕
 WriteAllText ✕ Methods ✕ Objects ✕ Application ✕ CommandBar ✕ CommandBarControl ✕
 Control ✕ Database ✕ Dialog ✕ DoCmd ✕ Event ✕ Field ✕ Form ✕ OptionGroup ✕
 Property ✕ QueryDef ✕ Recordset ✕ SubForm ✕ TableDef ✕ TempVar ✕ Properties ✕
 AbsolutePosition ✕ AllowAdditions ✕ AllowDeletions ✕ AllowEdits ✕ BackColor ✕ BeginGroup ✕
 BOF, EOF ✕ Bookmark ✕ Bookmarkable ✕ BorderColor ✕ BorderStyle ✕ BuiltIn ✕ Cancel ✕
 Caption ✕ ControlSource ✕ ControlTipText ✕ ControlType ✕ Count ✕ CurrentRecord ✕
 CurrentUser ✕ DataType ✕ DataUpdatable ✕ Default ✕ DefaultValue ✕ Description ✕EditMode ✕
 Enabled ✕ FieldSize ✕ Filter ✕ FilterOn ✕ FontBold ✕ FontItalic ✕ FontName ✕ FontSize ✕
 FontUnderline ✕ FontWeight ✕ ForeColor ✕ Index ✕ IsLoaded ✕ Item ✕ ItemData ✕
 LinkChildFields ✕ LinkMasterFields ✕ ListCount ✕ ListIndex ✕ Locked ✕ MultiSelect ✕ Name ✕
 ObjectType ✕ OnAction ✕ OpenArgs ✕ OptionValue ✕ OrderBy ✕ OrderByOn ✕ Page ✕
 Parent ✕ ProductCode ✕ RecordCount ✕ Recordset (property) ✕ RecordSource ✕ Required ✕
 RowSource ✕ RowSourceType ✕ Selected ✕ SelLength ✕ SelStart ✕ SelText ✕ Size ✕
 SourceField ✕ SourceTable ✕ SQL ✕ SubType ✕ TabIndex ✕ TabStop ✕ Tag ✕ Text ✕
 TextAlign ✕ TripleState ✕ Type ✕ Value ✕ Version ✕ Value (field) ✕ Visible ✕ Width ✕
 Shortcuts ✕ getObject ✕ getValue ✕ setValue ✕ ShortCut Notation ✕ Snippets of Code ✕
 AbsolutePosition example ✕ Access2Base vs. VBA ✕ AddNew example ✕ Addremoveitem example ✕
 AllForms examples ✕ ApplyFilter example ✕ Bookmark example ✕ Bookmark2 example ✕
 Cancel & Default example ✕ CancelUpdate example ✕ Caption examples ✕ Clone example ✕
 Coding Conventions ✕ Collection example ✕ Color example ✕ ComboBox example ✕
 CommandBar example ✕ CommandBarControl example ✕ CommandBars example ✕ Control example ✕
 Controls examples ✕ ControlSource example ✕ ControlTipText example ✕ ControlType example ✕
 CopyObject example ✕ Count example ✕ CreateQueryDef example ✕ CurrentDb example ✕
 CreateTableDef example ✕ CurrentRecord example ✕ Datasheet example ✕ DataType example ✕
 DebugPrint example ✕ DefaultValue example ✕ Delete (table-query) example ✕ Delete example ✕
 Dfunctions example ✕ Dialog example ✕ Edit example ✕ Enabled & Locked example ✕ Event example ✕
 Execute query example ✕ Filter example ✕ Filter2 example ✕ FindRecord example ✕ Font example ✕
 Format example ✕ Forms examples ✕ GetRows example ✕ GoToRecord example ✕
 Gridcontrol examples ✕ Height & Width example ✕ Identification example ✕ IsLoaded example ✕
 Item example ✕ Linkfields example ✕ ListBox example ✕ Maximize example ✕ Move example ✕
 MoveSize example ✕ Name example ✕ OpenArgs example ✕ Openconnection example ✕
 Opendatabase example ✕ Openform example ✕ OpenRecordset example ✕ Optiongroup example ✕
 OptionValue example ✕ OrderBy example ✕ OutputTo example ✕ Parent example ✕ Properties example ✕
 ReadAllBytes example ✕ ReadAllText example ✕ Recordsets example ✕ RecordSource example ✕
 Refresh example ✕ Requery example ✕ Required example ✕ RowSource example ✕ RunApp example ✕
 RunCommand example ✕ RunsqI example ✕ Selection example ✕ SelectObject example ✕
 SendObject example ✕ SetFocus example ✕ SetHiddenAttribute example ✕

SetHiddenAttribute example

Hide the database window, select an open and visible form then maximize it.

tags:
Snippets of Code

```

Const acForm = 2
Const acDatabaseWindow = 102
    DoCmd.SetHiddenAttribute(acDatabaseWindow)
    If Not GetHiddenAttribute(acForm, "myForm") Then
  
```

```
DoCmd.SelectObject(acForm, "myForm")
DoCmd.Maximize()
End If
```

Bookmark this page » » [SetHiddenAttribute example](#)