

Home ✕ Install ✕ Full Index ✕ Tutorial ✕ EnumerateControls ✕ FindOutTableExists ✕
 UseVariablesInSQL ✕ CreateRecordsetFrom ✕ AddRecordToRecordset ✕ CountRecordsRecordset ✕
 LimitsRecordset ✕ MixAccess2baseAndUNO ! User's Guide ✕ AllForms ✕ DatabaseWindow ✕
 ShortcutNotationMore ✕ DLookupSamples ✕ CalculatedField ✕ MultiSelectListboxSelectForm ✕
 FillAutoControlValue ✕ CarryToNewRecord ✕ BrowseThruControls ✕ TipTextForLongValues ✕
 AskBeforeSaving ✕ Sync2Combos ✕ ZoomOnImage ✕ AddAllToBox ✕ KeepFormsSynchro ✕
 SelectListboxOnFirstLetters ✕ MoveItemsBetweenListboxes ✕ SimulateTabbed ✕ SearchStandalone ✕
 CalculatorDialog ✕ ExploreTables ✕ ExtractDataTable ✕ FindPositionRecordset ✕ DMedian function ✕
 DPercentile ✕ ImportImages ✕ ExportImages ✕ CrossTabQuery ✕ DbaccessFromCalc ✕
 Standalone Forms ✕ Add ✕ AddItem ✕ AddNew ✕ CancelUpdate ✕ Clone ✕ Close (method) ✕
 CloseAllRecordsets ✕ CloseConnection ✕ CreateField ✕ CreateQueryDef ✕ CreateTableDef ✕
 CurrentDb ✕ Delete ✕ Delete (table-query) ✕ Edit ✕ EndExecute ✕ Execute (commandbarcontrol) ✕
 Execute (dialog) ✕ Execute (query) ✕ getProperty ✕ GetRows ✕ hasProperty ✕ Move ✕
 Move (recordset) ✕ OpenConnection ✕ OpenDatabase ✕ OpenRecordset ✕ OptionGroup (Method) ✕
 ReadAllBytes ✕ ReadAllText ✕ Refresh ✕ Remove ✕ RemoveAll ✕ RemoveItem ✕ Requery ✕
 Reset ✕ RunSQL ✕ SetFocus ✕ SetProperty ✕ Start ✕ Terminate ✕ Update ✕ WriteAllBytes ✕
 WriteAllText ✕ Methods ✕ Objects ✕ Application ✕ CommandBar ✕ CommandBarControl ✕
 Control ✕ Database ✕ Dialog ✕ DoCmd ✕ Event ✕ Field ✕ Form ✕ OptionGroup ✕
 Property ✕ QueryDef ✕ Recordset ✕ SubForm ✕ TableDef ✕ TempVar ✕ Properties ✕
 AbsolutePosition ✕ AllowAdditions ✕ AllowDeletions ✕ AllowEdits ✕ BackColor ✕ BeginGroup ✕
 BOF, EOF ✕ Bookmark ✕ Bookmarkable ✕ BorderColor ✕ BorderStyle ✕ BuiltIn ✕ Cancel ✕
 Caption ✕ ControlSource ✕ ControlTipText ✕ ControlType ✕ Count ✕ CurrentRecord ✕
 CurrentUser ✕ DataType ✕ DataUpdatable ✕ Default ✕ DefaultValue ✕ Description ✕EditMode ✕
 Enabled ✕ FieldSize ✕ Filter ✕ FilterOn ✕ FontBold ✕ FontItalic ✕ FontName ✕ FontSize ✕
 FontUnderline ✕ FontWeight ✕ ForeColor ✕ Index ✕ IsLoaded ✕ Item ✕ ItemData ✕
 LinkChildFields ✕ LinkMasterFields ✕ ListCount ✕ ListIndex ✕ Locked ✕ MultiSelect ✕ Name ✕
 ObjectType ✕ OnAction ✕ OpenArgs ✕ OptionValue ✕ OrderBy ✕ OrderByOn ✕ Page ✕
 Parent ✕ ProductCode ✕ RecordCount ✕ Recordset (property) ✕ RecordSource ✕ Required ✕
 RowSource ✕ RowSourceType ✕ Selected ✕ SelLength ✕ SelStart ✕ SelText ✕ Size ✕

Size

Returns a value that indicates the maximum size, in bytes, of a **Field object**.

tags:
Properties

Applies to ...

Object	Description
Field	The representation of a field of a table, a query or a recordset.

Syntax

`field.Size`

Returned values

Long

Remarks

- The **Size** property is read-only.
- For fields (other than Memo type fields) that contain character data, the **Size** property indicates the maximum number of characters that the field can hold. For numeric fields, the **Size** property indicates the number of decimal digits that the field can hold.
- For Long Binary and Memo Field objects, **Size** is always set to 0. To determine the size of a **Field object** of the Memo or Long Binary types, use the **FieldSize property**.

Error messages

Property 'Size' not applicable in this context

See also

DataType

FieldSize

Example

Bookmark this page » » [Size](#)