

Home x Install x Full Index x Tutorial x EnumerateControls x FindOutTableExists x
UseVariablesInSQL x CreateRecordsetFrom x AddRecordToRecordset x CountRecordsRecordset x
LimitsRecordset x MixAccess2baseAndUNO ! User's Guide x AllForms x DatabaseWindow x
ShortcutNotationMore x DLookupSamples x CalculatedField x MultiSelectListBoxSelectForm x
FillAutoControlValue x CarryToNewRecord x BrowseThruControls x TipTextForLongValues x
AskBeforeSaving x Sync2Combos x ZoomOnImage x AddAllToBox x KeepFormsSynchro x
SelectListBoxOnFirstLetters x MoveItemsBetweenListboxes x SimulateTabbed x SearchStandalone x
CalculatorDialog x ExploreTables x ExtractDataTable x FindPositionRecordset x DMedian function x
DPercentile x ImportImages x ExportImages x CrossTabQuery x DbaccessFromCalc x
Standalone Forms x Add x AddItem x AddNew x CancelUpdate x Clone x Close (method) x
CloseAllRecordsets x CloseConnection x CreateField x CreateQueryDef x CreateTableDef x
CurrentDb x Delete x Delete (table-query) x Edit x EndExecute x Execute (commandbarcontrol) x
Execute (dialog) x Execute (query) x getProperty x GetRows x hasProperty x Move x
Move (recordset) x OpenConnection x OpenDatabase x OpenRecordset x OptionGroup (Method) x
ReadAllBytes x ReadAllText x Refresh x Remove x RemoveAll x RemoveItem x Requery x
Reset x RunSQL x SetFocus x SetProperty x Start x Terminate x Update x WriteAllBytes x
WriteAllText x Methods x Objects x Application x CommandBar x CommandBarControl x
Control x Database x Dialog x DoCmd x Event x Field x Form x OptionGroup x
Property x QueryDef x Recordset x SubForm x TableDef x TempVar x Properties x
AbsolutePosition x AllowAdditions x AllowDeletions x AllowEdits x

AllowEdits

The *AllowEdits* property specifies whether a user can edit saved records when using a form or a subform.

tags:
Properties

Applies to ...

| Object | Description |
|---------|---------------------------|
| Form | An open form |
| SubForm | A subform in an open form |

Syntax

```
form.AllowEdits  
form.AllowEdits = value  
subform.AllowEdits  
subform.AllowEdits = value
```

Returned values / Arguments

Boolean

Remarks

Error messages

| |
|--|
| Form '...' is currently not open |
| Value '...' is invalid for property 'AllowEdits' |

See also

[AllowAdditions](#)

[AllowDeletions](#)

Example

Make a form read-only

```
Dim ofForm As Object  
Set ofForm = AllForms("myForm")  
With ofForm
```

```
.AllowEdits = False  
.AllowDeletions = False  
.AllowAdditions = False  
End With
```

Bookmark this page » » [AllowEdits](#)